## **Oxydur VES**

215 11/97

				1 <sup>2</sup> 1 0,32		: 2,24
		4-7		0,32	,	1,0
,	(	),	-,	1,92	-	6,0
	,	,	_			3 5-7
,	,		-			
			_			,
,		0,3		-	: -	3 6 1
		: 80 .				: 15 - 20 30

	2,24	/ 3
DIN 53479 ASTM D297	ŕ	
	93	
	20	
	12	
	13000	
, DIN	0,024	
52108		
	2,4 10 <sup>-5</sup>	-1
	15	
	25	

DIN 28052 2 3, 010 011.

20

4%. . 70%.

, 2-3 210 .

· :

),

, : - 25 - -

- 36 : , -





## **Oxydur VES**

Industriewerke GmbH

```
33.
             . 115 (
                                        ).
                                                                         20
25
                                                                                                                   24
12
                                                                                                   , (
                                                                      ),
                                           (25)
                   500
                   12
      10-15
                                                      36
                                                        1-2
                                                                                                       20
                                                                                                                   40
                                                                                                       25
                                                                                                                   15
                                                                                                  : 15
                                                     50-70
                                                                                                              5.10
                                                                                      5.10
                                  20-25
                                                                                                          190.
                                                        0,1
/ <sup>2</sup>.
                              7
   20
                                                      3
   25
                                                      1,5
```

),

ISO EN DIN 9001 Zertifikat: 01 100 6383