





1.3	(	,	)	-
1.3.1	1,5	..	<b>cds-Flexit</b>	:
	0,45	..		0,7-1,2
	(	..	10,0	<b>cds-Flexit</b>
			25,0	<b>cds-Flexit</b>
				3,0
				7,5
				: 2,0 - 2,5 / <sup>2</sup>
1.3.2	0,6-1,2	.		.
				: 4 . 5 / <sup>2</sup> .
2.	<hr/>			
2.1	:	.		
2.2				
2.2.1			<b>cds-Grundierung farblos</b>	( ) -
				250-350 / <sup>2</sup>
2.2.2	0,2-0,6			0,3-0,8
				: 2,0 / <sup>2</sup>
2.3	,		1.2	1.3.
3.	<hr/>			
3.1	:	.		
3.2				
3.2.1			<b>cds-Flexit</b>	-
				400 / <sup>2</sup>
	0,2-0,6			0,3-0,8
				: 2,0 / <sup>2</sup>
3.3	,		1.2,	
	Duop 1-2	.		
				: 5 . 6 / <sup>2</sup>
	:			
			<b>cds-EP-Verdünnung/Reiniger.</b>	,
	:			,
	10	25	,	.

_____:	RAL 3020		, RAL 5017		, RAL 6002
	.		RAL .		.
_____:		-	5,	10,	11.
2			,		-
	15	20	.		
	.			,	.
	.				-
					-
					-
	,				-
	.			.	-
	.				-

[WWW.ELITSTROY.SU](http://WWW.ELITSTROY.SU)  
 8-926-535-39-36  
 r-mobin@ya.ru