



INDUFLOOR®-IB 1240 (- 1240)

5 55004

20/11 (DG)

INDUFLOOR-IB 1240 – 2-

~70
-4 (DIN)

100:12

- ~ 1,86 / ³
- ~ 60 +23
- ~ 30 +30
- Sd (> 300 , +8 , +30
-) 12
- +23
- 12 - 24
- +23

INDUFLOOR-IB 1240

- 7 +23

+8 ()

600 – 1000 / ²

80 / ²

30 / ²

INDUFLOOR

- 738552

(DIN 16726,

)

1,5

INDUFLOOR-IB 1240

15- ; 28-

24

+10



INDUFLOOR-IB 1240

-
-

* «

« »

« »

INDU-Olreiniger,

INDUFLOOR-IB 1240.

-
-
-
-

Def. RiLi SIB*)

», 2, 1.2.5 «

2

+23 50%

.)

20/25
EN 13813

- 25-F4

> 1,5

. PIII / PIIIb

- 0,8 / 2

INDUFLOOR-IB 1240

0,5 – 1,0 0,7-1,2

0,6 1,0 / 2
1,5

/ 2.

12 – 24

INDUFLOOR,

12 (+23)

INDUFLOOR-IB 1240.

- 600 / 2,



(),

